

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

DSIP - 5mg

Genetek **Tested for: Genetek, LLC**
638 N. US HWY 1 suite #179 Tequesta, FL 33469 | www.genetekusa.com

PASS

COA #:	COA-2026-HDJPRN	Method:	Purity & Quant (HPLC)
Lot Number:	003-10-202601-001	Analysis Date:	05/27/2026
Accession #:	ACC-2026-2992	Appearance:	Good
Concentration:	5mg	Received:	05/22/2026
Sample Matrix:	Lyophilized		



Scan to verify
authenticity at ils-lab.com

Identity
DSIP


Purity
99.26%



Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.26%	%	PASS
Net Peptide Content	Report Only	5.15	mg	N/A
Identity (ID)	DSIP	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



DSIP 5mg - 003-10-202601-001: UV Chromatogram

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Notes & Methodology

- Date Tested: 05/27/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be DSIP by HPLC. Identification by chromatographic retention time comparison with a reference standard.




Dr. Greg Kalyuzhny
Lab Director
5/27/2026

COA #: **COA-2026-HDJPRN**
Access Code: **UKQCQ9DU**
Verify: portal.ils-lab.com/verify/I-M_0W3Jz0gcNdYL
Issued: 5/27/2026