

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3 RT - 20mg

Genetek **Tested for: Genetek, LLC**

638 N. US HWY 1 suite #179 Tequesta, FL 33469 | www.genetekusa.com

PASS

COA #: **COA-2026-2OBYJM**
 Lot Number: **003-10-202601-001**
 Accession #: **ACC-2026-2993**
 Concentration: **20mg**
 Sample Matrix: **Lyophilized**

Method: **Purity & Quant (HPLC)**
 Analysis Date: **05/27/2026**
 Appearance: **Good**
 Received: **05/22/2026**



Scan to verify
authenticity at ils-lab.com

Identity

GLP-3 RT

Purity


99.69%



Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.69%	%	PASS
Net Peptide Content	Report Only	21.26	mg	N/A
Identity (ID)	GLP-3 RT	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



GLP-3 RT 20mg - 003-10-202601-001: UV Chromatogram

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Notes & Methodology

- Date Tested: 05/27/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be GLP-3 RT by HPLC. Identification by chromatographic retention time comparison with a reference standard.




Dr. Greg Kalyuzhny
Lab Director
5/27/2026

COA #: **COA-2026-2OBYJM**
 Access Code: **3CAMUSU_**
 Verify: portal.ils-lab.com/verify/eG_QLz92O0thniU3
 Issued: 5/27/2026